

# High Pressure Water Hose

## WHAT HAPPENED

A Franchisee driver was about to hose down his Truckmixer drum. He decided to use the sites' high pressure hose, that is normally used for hosing down the yard, instead of the one normally used for hosing down Truckmixers.

He loosely held the end of the hose as he opened the hose's water valve.

Unexpectedly, the pump was already running which resulted in a high-pressure jet of water immediately exiting the hose causing it to flick upwards.


The jet of water knocked his safety glasses off and water also entered his right eye causing a serious injury. He attended hospital where it was confirmed that the driver had a bleed to his retina.

Fortunately, after spending 48 hours in hospital for observation and treatment, it is expected the driver will make a full recovery.



Start/Stop

Start /  
Stop  
Button



Existing

Existing  
HP Yard  
hose fitted  
with nozzle

## LEARNING POINTS / ACTIONS TAKEN

Responsible managers should check that:-

- You have a risk assessment and SWP for the use of high pressure hoses;
- Clear instructions are displayed on how to safely start / stop high pressure water pumps;
- There is some means of indicating that high pressure pumps are running;
- Only trained, authorised persons are permitted to use high pressure water equipment;
- All Truckmixer drivers have been inducted at your site(s);
- Consider the design of the nozzle, could you install a trigger operated one as shown above?



**Alternative hose  
nozzle with trigger**  
*Alternative*

---

**LOCATION:**  
**ACTIVITY:**  
**SUB ACTIVITY:**

**READYMIX OR MORTAR PLANT**  
**MAINTENANCE & HOUSEKEEPING**  
**N/A**

**ALERT STATUS:** **Normal**  
**DATE ISSUED:** **08/01/2013**  
**INCIDENT No:** **00350**